

## 4.10 Infrared Remote Central locking (RCL)


Models 129, 140, 170 as of M.Y. 1998

### Electrical Test Program – Connection of Components

#### Model 129

Figure 1

- A Radio/Infrared remote control for central locking
- B Drive authorization stage (DAS)  
(release of motor management via transponder)
- A1 Instrument cluster
- A26/1 Left front door IR receiver
- A26/2 Right front door IR receiver
- A37 PSE control module, combined functions
- CAN Control-Area-Network
- E3e1 Turn signal lamp
- E4e1 Turn signal lamp
- E6/1 Left turn signal/side marker lamp (USA)
- E6/2 Right turn signal/side marker lamp (USA)
- L11 Transponder coil
- N10/2 Combination relay module (turn signal with trailer coupling, rear window defroster, wiper motor, ATA)
- N54/4 DAS radio frequency/infrared control module
- S2/1 Ignition/starter switch
- S86/1 Left front door lock switch (CF) (USA)
- S87/1 Right front door lock switch (CF) (USA)
- S88s1 ATA/CF microswitch (USA)
- X11/4 Data link connector (DTC readout)
- 1 Transmitter key with transponder
- 2 Antenna
- 3 Engine control module
- 4 Engine



P80.30-0442-06

## 4.10 Infrared Remote Central locking (RCL)


Models 129, 140, 170 as of M.Y. 1998

### Electrical Test Program – Connection of Components

Model 140 sedan shown

Figure 2

- A Radio/Infrared remote control for central locking
- B Drive authorization stage (DAS)  
(release of motor management via transponder)
- A1 Instrument cluster
- A26/1 Left front door IR receiver
- A26/2 Right front door IR receiver
- A37 PSE control module, combined functions
- CAN Control-Area-Network
- E3e1 Turn signal lamp
- E4e1 Turn signal lamp
- E6/1 Left turn signal/side marker lamp (USA)
- E6/2 Right turn signal/side marker lamp (USA)
- L11 Transponder coil
- N10/2 Combination relay module (turn signal with trailer coupling, rear window defroster, wiper motor, ATA)
- N54/4 DAS radio frequency/infrared control module
- S2/1 Ignition/starter switch
- S86/1 Left front door lock switch (CF) (USA)
- S87/1 Right front door lock switch (CF) (USA)
- S88/2 Trunk lid lock switch (CF) (USA)
- 1 Transmitter key
- 2 Antenna
- 3 Engine control module
- 4 Engine




P80.30-0383-06

Electrical Test Program – Connection of Components

Model 170

Figure 3

- A Radio/Infrared remote control for central locking
- B Drive authorization stage (DAS)  
(release of motor management via transponder)
- A1 Instrument cluster
- A37 PSE control module, combined functions
- CAN Control-Area-Network
- E3e1 Turn signal lamp
- E4e1 Turn signal lamp
- E6/1 Left turn signal/side marker lamp (USA)
- E6/2 Right turn signal/side marker lamp (USA)
- L11 Transponder coil
- K54 Locking confirmation relay module
- N10-3 combination control module
- N54/3 Radio frequency/infrared control module
- S2/1 Ignition/starter switch
- S87/9 Left front door lock switch (CF) (USA)
- S88/2 Trunk lid lock switch (CF) (USA)
- X11/4 Data link connector (DTC readout)
- 1 Transmitter key with transponder
- 2 Antenna
- 3 Engine control module
- 4 Engine



P80.30-0381-06